

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14018	(709/203,217,218,219,227,228,232,236).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/03/09 14:51
L2	2	(Free\$3 OR Releas\$3) NEAR4 socket NEAR6 virtual NEAR4 connection NEAR5 transfer\$3 NEAR5 (data OR information OR messages) NEAR5 application NEAR5 (process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L3	2	(Free\$3 OR Releas\$3) SAME socket SAME virtual SAME connection SAME transfer\$3 SAME (data OR information OR messages) SAME application SAME (process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L4	3	(Free\$3 OR Releas\$3) SAME socket SAME virtual SAME connection SAME transfer\$3 SAME (data OR information OR messages)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L5	51	(Free\$3 OR Releas\$3) SAME socket SAME virtual	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 16:22
L6	1	((Free\$3 OR Releas\$3) SAME socket SAME virtual) SAME finish\$3 SAME TRANSFER\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L7	49	creat\$3 WITH releas\$3 WITH socket	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L8	180566	(finish\$3 OR complet\$3)WITH (transmit\$4 OR transfer\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L9	3	(creat\$3 WITH releas\$3 WITH socket) AND ((finish\$3 OR complet\$3)WITH (transmit\$4 OR transfer\$3))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L10	126	releas\$3 NEAR3 socket NEAR3 connection	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L11	47	assign\$3 NEAR3 socket NEAR4 application	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51

L12	6	((709/203,217,218,219,227,228,232,236).CCLS.) AND (releas\$3 NEAR3 socket NEAR3 connection)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L13	12	((709/203,217,218,219,227,228,232,236).CCLS.) AND (assign\$3 NEAR3 socket NEAR4 application)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L14	1	(socket WITH assignment)SAME (random OR (round ADj robin) OR (user NEAR2 defin\$3))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L15	22	(socket WITH assign\$4)SAME (random OR (round ADj robin) OR (user NEAR2 defin\$3))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L16	1	random WITH socket WITH assignment	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L17	12	random\$3 WITH socket WITH assign\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L18	173	socket WITH assign\$4 WITH application	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L19	20	(socket WITH assign\$4 WITH application) AND ((709/203,217,218,219,227,228,232,236).CCLS.)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L20	11	((socket WITH assign\$4 WITH application) AND ((709/203,217,218,219,227,228,232,236).CCLS.)) AND (transfer\$3 NEAR3 data)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L21	7	(parallel NEAR3 data NEAR3 transfer\$4)SAME(multipl\$5 OR plural\$3) SAME socket	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L22	2	socket NEAR2 pair NEAR4 TECHNIQUE	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L23	9	BOUND\$3 near3 SOCKET near3 (APPLICATION OR (SERVER adj APPLICATION))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L24	1957	("same" OR single OR one) NEAR4 ((virtual NEAr connection) OR (socket NEAR connection))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51

L25	922916	(plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L26	70	((("same" OR single OR one) NEAR4 ((virtual NEAR connection) OR (socket NEAR connection))) SAME ((plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread)))	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L27	34	((("same" OR single OR one) NEAR4 ((virtual NEAR connection) OR (socket NEAR connection))) SAME ((plurality OR two OR multiple)WITH (application OR (server NEAR application)OR process OR thread))) AND @ad<"20010626"	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L28	2	creating NEAR plurality NEAR3 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/09 14:51
L29	2	releas\$3 NEAR3 socket	IBM_TDB	OR	ON	2005/03/09 14:51
L30	105	fault NEAR2 tolerance	IBM_TDB	OR	ON	2005/03/09 14:51
L31	1	socket AND (round NEAr2 robin)	IBM_TDB	OR	ON	2005/03/09 14:51
L32	8	socket AND thread AND process AND application AND server	IBM_TDB	OR	ON	2005/03/09 14:51
L33	3624	parallel NEAR3 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L34	121	(parallel NEAR3 socket) SAME (thread OR process)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L35	1	((parallel NEAR3 socket) SAME (thread OR process)) SAME bind\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51

L36	60	parallel WITH socket WITH process	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L37	1	(parallel WITH socket WITH process) AND (server NEAR application).	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L38	7	(parallel WITH socket WITH process) AND server	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L39	8	(("6622159") or ("6802065") or ("6192389") or ("6754701")). PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/09 14:51
L40	457	socket(process OR thread)assign\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L41	73	L40 (plural\$4 OR multiple)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L42	7	L41 (re\$1use OR re\$1bind\$3 OR bind\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L43	4	(("6802065") or ("6754701") or ("6622159") or ("6192389")). PN.	USPAT	OR	OFF	2005/03/09 14:51
L44	130	socket assignment	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 14:51

L45	2	L44 dynamic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 14:51
L46	19	L44 (plural\$3 OR multipl\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 14:51
L47	211	socket assign\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 14:51
L48	18	L47 (plural\$3 OR multipl\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 14:51
L49	185	(bind\$3 OR re\$1bind\$3) socket (application OR process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 14:51
L50	18	L49 (plural\$3 OR multipl\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L51	17965	resource (allocat\$3 OR assign\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 14:51
L52	96	L51 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L53	26	L52 (process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51

L54	15620	creat\$3 NEAR2 (connection OR (virtual NEAR connection))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L55	498	L54 SAME socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L56	101	L55 SAME (process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L57	16	L56 AND multi\$1process\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/09 14:51
L58	12	random\$2 assign\$3 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 14:51
L59	5300	plurality socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 14:51
L60	6	L59 (thread Or process)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 14:51
L61	8809	plurality NEAR2 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 14:51
L62	9	L61 (thread Or process)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 14:51

L63	215	assign\$3 available IP address DHCP	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L64	5	L63 (random OR (round ADJ robin))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L65	572	(round ADJ robin)NEAR4 assign\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L66	1	L65 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L67	3980	random NEAR4 assign\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L68	7	L67 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L69	1024	user NEAR2 defin\$3 NEAR4 assign\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L70	1	L69 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L71	181	socket (re\$1bind\$3 OR re\$1use\$3 OR re\$1bound\$3) (application OR process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51

L72	25	socket (re\$1bind\$3 OR re\$1use\$3 OR re\$1bound\$3) (application OR process OR thread)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:11
L73	103	L67 AND socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L74	6	L73 AND thread process	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L75	3138	(719/310,31,312,313,314, 315,316,317,318,319,320). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/09 17:14
L76	3586	(releas\$3 OR re\$1bind\$3)NEAR3 socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 17:20
L77	5	L75 AND L76	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L78	9	parallel data transmission socket (thread OR process)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 14:51
L79	3	bind\$3 socket (thread OR process)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/03/09 16:52
L80	116	bind\$3 socket (thread OR process)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:16

L81	2086523 0	@ad<"20010626"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 16:54
L82	82	80 AND 81	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 16:54
L83	15	1 AND 82	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:00
L87	8	(bind\$3 OR bound\$3) NEAR4 socket NEAR5 (thread OR process) NEAR6 server	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:07
L88	8	(bind\$3 OR bound\$3) NEAR4 socket NEAR5 (thread OR process) NEAR6 server	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 17:05
L89	1	socket re\$1use\$3 server (bind\$3 OR bound\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:10
L90	3	socket re\$1use\$3 server (bind\$3 OR bound\$3)(thread OR process OR (multi ADJ thread\$3))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 17:11
L94	3232	(719/310,311,312,313,314, 315,316,317,318,319,320). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/09 17:14
L95	9	80 AND 94	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:16

L96	7	95 AND 81	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/03/09 17:17
L97	12036	(709/200,201,203,227,228, 231,232).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/09 17:20
L98	22	((releas\$3 OR re\$1bind\$3 OR re\$1us\$3)NEAR3 socket)AND 97	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 17:23
L99	8	98 AND 81	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 17:59
L10 2	39	releas\$3 (re\$1us\$3 OR re\$1bind\$3) socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 18:03
L10 4	131	(data OR message OR request) parallel de\$1multiplex\$3 (data NEAR2 unit)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 18:04
L10 6	1	(data OR message OR request) parallel de\$1multiplex\$3 (data NEAR2 unit)socket	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/09 18:04